CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 35, 1998

A

Addison, E. M., 189
Adler, P. H., 704
Ailes, M. C., 200
Alekseev, A. N., 136
Allan, S. A., 621, 943
Anderson, J. F., 296
Andreadis, T. G., 296
Andress, E., 625
Antoniotti, P., 143
Antykova, L. P., 136
Aoki, V., 120
Apperson, C. S., 967
Arlian, L. G., 46, 962
Arredondo-Jiménez, J. I., 937
Awono-Ambene, H. P., 948
Azad, A. F., 346, 404, 410

B

Bacon, S. W., 962
Bahia Labruna, M., 891
Banks, C. W., 177, 496
Barbosa Ribeiro, M. F., 891
Barker, I. K., 189
Barnard, D. R., 330, 340
Barta, J. R., 1002
Barthold, S. W., 1054
Basáñez, M.-G., 745
Baumgartner, D. L., 1
Beati, L., 180
Beaty, B. J., 261, 567
Beaucournu, J.-C., 3, 883
Beetham, P. K., 861
Beier, J. C., 222, 319
Belli, A., 169
Ben Ali-Haouas, Z., 251
Ben Cheikh, H., 251
Benton, A. H., 433
Bergman, D. K., 505
Billings, A. N., 474
Blackmore, C. G. M., 660
Blackmore, M. S., 660
Blackwell, A., 996
Blair, C. D., 567
Blouin, E. F., 514, 788
Boer, R. D., 905
Bossard, R. L., 415
Bosseno, M.-F., 911
Bowman, A. S., 500
Boyce, W. M., 277, 1034
Brandão, R. C. F., 931
Breniere, S. F., 911
Brogdon, W. G., 681
Brossard, M., 465
Brouqui, P., 180
Brubaker, J. F., 918
Bulman, G. M., 922
Burket, C. T., 653
Burridge, M. J., 621
Bush, L. P., 798
Butler, J. F., 694
Byrd, J. H., 694

C

Cambon, M., 180
Canals, M., 740
Carey, D., 77
Carrasco, H. J., 38, 99
Carreno, R. A., 1002
Carroll, J. F., 11, 59, 90
Casadio, A. A., 814
Castro, F. C., 931
Cattan, P. E., 740
Cázares-Raga, F. E., 184
Chambers, G. M., 639
Chandler, L. J., 567
Chang, J. C. S., 46
Chatot, C. L., 653
Chege, G. M. M., 319
Chen, A. C., 895
Chen, C.-C., 71
Cheng, S., 646
Chiba, M., 227
Chiles, R. E., 561, 1020
Chin, T.-H., 596
Cicchino, A. C., 922
Cinco, M., 136
Clark, G. G., 578, 809
Clark, K. L., 496
Claypool, P. L., 514
Clayton, D. H., 732
Clover, J. R., 1044
Collins, R. C., 745
Colwell, D. D., 674
Confer, P. D., 46
Conn, J. E., 830
Cooley, T. M., 872
Cooper, R. D., 690
Cooperative Group on Fogo Selvagem Resea, 120
Cordeiro, C. M. T., 977
Costero, A., 578, 809
Crans, W. J., 980, 1007
Crosbie, P. R., 277, 1034
Cupp, E. W., 120, 591
Cupp, M. S., 591

D

Danoff-Burg, J. A., 830
Dautel, H., 26
Davey, R. B., 479, 895, 1013
Day, E., 818
Dean, S. R., 720
Dégallier, N., 931
Dennis, D. T., 629
Diaz, J. C., 922
Diaz, L. A., 120
Di Deco, M. A., 16
Dillwith, J. W., 500
Dolan, M. C., 465
Donahue, W. A., 483
Dos Santos, V., 120
Dotson, E. M., 177
Dougherty, C. T., 798
Dubinina, H. V., 136
Dujardin, J.-P., 911
Duncan, G. A., 314
Dunphy, G. B., 162
Dunson, W. A., 839
Durden, L. A., 346, 354, 489
Dzhivanyan, T. I., 136

E
Eaton, D. P., 120
Edman, J. D., 578, 809
Edwards, J. F., 261
Ehrenfeld, M. J., 740
El-Mallakh, R. S., 1
Estrada-Peña, A., 989

F
Falagiani, P., 143
Fernandez-Salas, I., 699
Ferreira Borges, L. M., 891
Ferro, C., 82
Ficker, J., 270
Filho, G. C. S., 931
Fisher, W. F., 861
Focks, D. A., 646
Foil, L., 625
Fox, I., 611
Frame, I. A., 38
Frances, S. P., 690
Freeland, R. L., 625
Friedman, H., 120
Fritz, G. N., 830
Fryauff, D. J., 335

G
Galloway, T. D., 423
Galvão, C., 599
Garcia, A. L., 38
García, B. A., 232
Gentili, M., 143
George, J. E., 479, 895, 1013
Gerry, A. C., 239, 245
Gertz, S. J., 901
Gillespie, T. J., 189
Ginsberg, H. S., 804
Giudice, G. J., 120
Glass, G. E., 849
Glazer, I., 514
Goff, M. L., 857
Golde, W. T., 465
Gomez-Dantes, H., 699
Gooding, R. H., 210
Gorrochotegui-Escalante, N., 699
Gottlieb, M. S., 120
Gray, G., 335
Greenberg, B., 205
Grimstad, P. R., 660
Guerrero, F. D., 710
Guimarães, A. M., 1029
Guimarães, J. A., 599

H
Haas, G. E., 431
Hans-Filho, G., 120
Hansukjariya, P., 556
Haramis, L. D., 573
Hardy, J. L., 289
Harrington, L. C., 578
Hassanali, A., 148, 778
Hastriter, M. W., 390, 556
Hernandez, R., 895
Hernández-Hernández, F. C., 184
Hernández-Rodríguez, S., 327
Herrero, M. V., 169
Higgins, J. A., 410
Higgs, S., 261
Hinkle, N. C., 266, 415
Holbrook, F. R., 818
Homma, M., 471
Hoodless, A. N., 77
Hopkins, S. W., 483
Hopla, C. E., 177, 346
Hou, R. F., 71
Howard, J. J., 54
Hribar, L. J., 830
Hu, R., 804, 1050
Hung, R. W., 64
Hunter, F. F., 685
Hurd, H., 956
Hurtado, F. J., 327
Hyland, K. E., 804, 1050
Hynes, W. L., 458

I
Isaias, T., 599
Ito, T., 227
Ivie, G. W., 895

J
Jaenson, T. G. T., 521
Jahan, N., 956
Janousek, T. E., 758
Janzen, T. A., 685
Jinfu, W., 716
Johns, R., 458
Johnson, P. T., 346
Jones, S. R., 725
Jordan, R. A., 64
Jurberg, J., 599

K
Kahl, O., 905
Kalkstein, L. S., 646
Kammlah, D., 710
Karabatsos, N., 573
Kaufman, M., 222
Kay, B. H., 104, 132
Keirans, J. E., 489
Khokhlova, I., 303
Kiszewski, A. E., 584
Kitron, U., 435
Kline, D. L., 943
Klowden, M. J., 639, 1055
Knapp, F. W., 798
Knülle, W., 26
Kocan, K. M., 514, 788
Koch, D. A., 314
Koehler, P. G., 266
Kramer, C. M., 872
Kramer, L. D., 289, 1020
Kramer, W. L., 758
Krantz, G. W., 527
Krasnov, B., 303
Kuller, K., 905
Kunz, S. E., 591, 710, 725, 861
Kurtenbach, K., 77

L
Lacombe, E. H., 270
Lane, R. S., 1044
Lanzaro, G. C., 169
Laos, A., 922
Lerdthusnee, K., 556
Lewis, D. J., 763
Lewis, R. E., 377, 399
Li, K.-C., 396
Lina, W., 95
Linardi, P. M., 891
Lindsay, L. R., 189, 423
Lingling, W., 716
Linthicum, K. J., 390, 551, 556, 771
Lopez, A., 120

Lopez Valencia, G., 324
Lord, C. C., 825
Lothrop, H. D., 561
Lounibos, L. P., 830
Lpez-W, R., 543
Luz, C., 977
Lysk, T. J., 107

M
Magnarelli, L. A., 510
Mahamat, H., 778
Mahmood, F., 980, 1007
Mair, J., 996
Manomuth, C., 556
Maple, W. T., 901
Markowski, D., 804
Marquine, M., 251
Martínez-Moreno, F. J., 327
Massimo, J., 814
Mattar, S., 324
Maul, J. E., 798
Maupin, G. O., 465
Mbogo, C. N. M., 222
Mbow, M. L., 465
McElligott, P. E. K., 763
McEwen, S. A., 189
McIntyre, G. S., 210
Medvedev, S., 303
Mei, C., 95
Ménier, K., 883
Meola, R. W., 720
Meola, S. M., 720
Miles, M. A., 38, 99
Mills, G. D., Jr., 11
Milton, K., 674
Mistrello, G., 143
Mitchell, C. J., 573
Moldenhauer, S., 95
Mongkolsirichaikul, D., 556
Monteiro, H. A. O., 931
Morales-Malacara, J. B., 543
Morrison, A. C., 82, 578
Moskalyk, L. A., 216
Moyses, M., 931
Muhigwa, J.-B. B., 148
Mullens, B. A., 239, 245
Mungviriya, S., 551
Muñoz Cobeñas, M. E., 922
Munstermann, L. E., 82
Murphy, A. J., 872
Mutebi, J.-P., 169
Myint, K. S., 556

N
Navarrete, I., 327
Neal, J. S., 962
Nekomoto, T. S., 629
Niioka, T., 227
Nnaji, A., 646
Noden, B. H., 410
Noel, S., 911
Noireau, F., 99, 911
Nuttall, P. A., 77

O
Ohara, Y., 471
Oliver, J., 54
Oliver, J. H., Jr., 177, 496
O'Reilly, K. L., 625
Ostfeld, R. S., 901
Ottoboni, F., 143

P
Paradise, C. J., 839
Pardo, R., 82
Parola, P., 180
Parsons, T. J., 314
Paskewitz, S. M., 157
Pasteur, N., 251
Patterson, R. S., 266
Paul, W. S., 629
Péter, O., 465
Petrarca, V., 16
Phillips, J. B., 496
Phulsuksombati, D., 551
Picollo, M. I., 814
Pidherney, M. S., 514
Piesman, J., 465, 629
Pilgrim, R. L. C., 362
Pinger, R. R., 653
Ponce, C., 169
Poplar, M. L., 872
Posey, K. H., 330
Pound, J. M., 479
Powell, J. R., 232
Powers, T. O., 314
Presser, S. B., 289
Price, R. D., 732
Pruess, K. P., 314
Pruett, J. H., 861

Q
Qiuli, Y., 95

R
Radovsky, F. J., 527
Radulovic, S., 410
Ramachandra, R. N., 505
Rand, P. W., 270
Randolph, S. E., 77
Raoult, D., 180
Rapp, C. M., 46
Ratanatham, S., 551
Rattanarithikul, R., 771
Rau, M. E., 162, 782
Reina, D., 327
Reisen, W. K., 561, 1020
Reyes-Villanueva, F., 745
Reynes, J.-M., 3
Ribeiro, J. M. C., 591, 599
Ribeiro, M. F. B., 1029
Rijpkema, S. G. T., 136
Rivitti, E. A., 120
Robbins, R. G., 346, 354
Robert, V., 948
Roberts, D., 665
Rodríguez, M. H., 184, 745, 937
Rodríguez-Pérez, M. A., 745
Rodwell, T. C., 277
Roncarolo, D., 143
Rongnoparut, P., 771
Rothschild, M., 346, 614
Rowton, E., 169
Roy, A. F., 625
Rui, C., 716
Rust, M. K., 415
Rutledge, R., 625

S
Sabatinelli, G., 16
Saboori, A., 857
Saini, R. K., 148
Samish, M., 514
Sampaio, S. A. P., 120
Sánchez-Contreras, M. E., 184
Sanders, M. L., 849

Sato, T., 471
Sattabongkot, J., 551
Sauer, J. R., 500
Schal, C., 967
Schauber, E. M., 901
Schenker, R., 720
Schmidtmann, E. T., 11, 59, 818
Schmitt, S. M., 872
Schneider, M., 599
Schofield, C. J., 38
Schreck, C. E., 330, 335
Schulze, T. L., 64
Schwartz, B. S., 849
Scott, A. L., 849
Scott, T. W., 578, 809
Shaohong, L., 716
Shenbrot, G., 303
Sheppard, D. C., 175
Shoukry, M. A., 335
Silva, I. G., 977
Silver, G. M., 404
Simmons, L.-A., 621
Sirichotpakorn, N., 771
Sittertz-Bhatkar, H., 720
Smith, G., 1025
Smith, G. C., 573
Smith, P. C., 872
Smith, R. P., Jr., 270
Smith, T. W., 872
Soler Cruz, M. D., 153
Sonenshine, D. E., 458
Spielman, A., 584
Stafford, K. C., III, 510
Starwalt, V. J., 573
Steiner, F. E., 653
Stobierski, M. G., 872
Stothard, J. R., 38
Straif, S. C., 222
Strey, O. F., 483
Sugiyama, A., 845
Surgeoner, G. A., 189
Suwanabun, N., 551
Suwanchaichinda, C., 157
Suwonkerd, W., 845
Sweeney, A. W., 690

T

Tabachnick, W. J., 818
Takagi, M., 845
Takahashi, K., 227
Takashima, I., 227
Takeda, T., 227
Takken, W., 639
Tälleklint, L., 521
Tanskul, P., 390, 551, 556
Taylor, T., 818
Teel, P. D., 474, 483
Telford, S. R., III, 538
Temeyer, K. B., 861
Thioulouse, J., 948
Thomas, G., 153
Thomas, R. E., 404
Tibayrenc, M., 911
Tigano, M. S., 977
Tirrell-Peck, S. J., 296
Tomberlin, J. K., 704
Torres, M., 82
Torres, P. R., 175
Toure, A. M., 222
Touré, Y. T., 16, 222
Trapman, J. J., 153
Traub, R., 396
Travassos Da Rosa, A. P. A., 931
Trexler, J. D., 967
Triche, P. C., 625
Tsuda, Y., 845
Tu, W.-C., 71
Turell, M. J., 670, 918
Turrell, M. J., 132

V

Vail, S. G., 1025
Valente, S. A. S., 38, 99
Valente, V. C., 99
Valle, S., 169
Vann, C. N., 653
Van Willigen, J., 798
Vargas, F., 911
Vassena, C. V., 814
Vatschenok, V., 303
Vaughan, J. A., 404
Vaughn, D. W., 556
Vaz Da Silva, O., 931
Vega Robles, M. C., 153
Verbeek-De Kruif, N., 136
Victor, J. C., 629
Vié, J.-C., 3
Vyszenski-moher, D. L., 46

W

Wada, Y., 845
Wagner, G. G., 895
Walker, D. H., 474
Walker, E. D., 222, 872
Wanchun, T., 95
Ward, J. S., 510
Washino, R. K., 937
Wassef, H. Y., 335
Watcharapichat, P., 551
Watson, D. W., 59
Watson, T. M., 104
Watt, G., 551
Wells, J. D., 205
Wikel, S. K., 505
Wilkerson, R. C., 830
Wilson, M. L., 446
Wilson, N., 431
Wisnewski, N., 404
Wright, S. A., 1044

Y

Yaksic, N., 911
Yixiu, G., 95
Yu, X.-J., 474

Z

Zahiri, N., 162, 782
Zerba, E. N., 814
Zhikun, Z., 95
Zhu, K., 500

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 35, 1998

A

Acari,
  Argas reflexus, 26
  diapause, 26
accessory glands,
  chromosomes, 830
  DNA, 830
Aclotest,
  dot immunobinding, 143
  mite antigens, 143
Acropsylla,
  fleas, 390
  Siphonaptera, 390
Adoratopsylla intermedia copha,
  Rhopalopsyllus garbei, 3
  Siphonaptera, 3
aedeagus,
  Ctenocephalides, 883
  Siphonaptera, 883
Aedes aegypti, 71, 162, 216, 340, 578, 611, 646, 699, 782, 809, 943
  Aedes albopictus, 943
  Anopheles albimanus, 340
  Anopheles gambiae, 216
  Anopheles quadrimaculatus, 340
  attraction–repellency, 782
  carboxypeptidase, 216
  dengue, 699
  dengue 2 virus, 71
  life table, 809
  Mesocyclops longisetus, 699
  mosquitoes, 578, 611
  oviposition, 162, 578, 782, 943
  Puerto Rico, 809
  repellency, 162
  testis, 71
  Theridion rufipes, 611
  water depth, 646
  water temperature, 646
Aedes albopictus, 573, 825, 943, 967
  Aedes aegypti, 943
  Aedes triseriatus, 573, 967
  arboviruses, 573
  density-dependent competition, 825
  oviposition, 943, 967
  population growth, 825
Aedes dorsalis, 561, 1020
  Culex tarsalis, 561
  vertical transmission, 1020
  western equine encephalomyelitis virus, 561, 1020
Aedes mosquitoes,
  eastern equine encephalitis virus, 670
  vector competence, 670
Aedes notoscriptus,
  Ross River virus, 104
  vector competence, 104
Aedes sollicitans,
  Aedes taeniorhynchus, 200
  population, 200
Aedes taeniorhynchus,
  Aedes sollicitans, 200
  population, 200
Aedes triseriatus, 567, 573, 839, 967
  Aedes albopictus, 573, 967
  arboviruses, 573
  bacteria, 839
  bunyavirus, 567
  gender differences, 839
  La Crosse virus, 567
  oviposition, 967
age grading,
  Culiseta melanura, 980
  false dilatation, 980
akinesis,
  behavioral bioassay, 90
  kairomone, 90
Alouatta palliata,
  Alouattamyia baeri, 674
  bot flies, 674
Alouattamyia baeri,
  Alouatta palliata, 674
  bot flies, 674
alpacas,
  lice, 922
  Microthoracius mazzai, 922
alphavirus,
  Culex tarsalis, 289
  western equine encephalomyelitis virus, 289

Amblyomma,
identification key, 489
nymphs, 489
Amblyomma americanum, 500, 653, 849
Dermacentor variabilis, 849
Ehrlichia chaffeensis, 653
infection rate, 653
salivary gland, 500, 849
tick saliva, 500
Amblyomma cajennense, 474, 1029
Anocentor nitens, 1029
Microsporidia, 1029
spotted fever group rickettsia, 474
tick, 474
Amblyomma maculatum,
Mallophaga, 483
ticks, 483
Amblyomma marmoreum,
heartwater, 621
tortoise, 621
Anaplasma marginale,
Ixodes scapularis, 788
tick, 788
Anocentor,
Dermacentor, 891
numerical taxonomy, 891
Anocentor nitens,
Amblyomma cajennense, 1029
Microsporidia, 1029
Anopheles,
bloodmeal processing, 319
Plasmodium falciparum, 319
Anopheles albimanus, 184, 340
Aedes aegypti, 340
Anopheles quadrimaculatus, 340
midgut proteins, 184
sex differences, 184
Anopheles arabiensis, 16, 948
Anopheles gambiae, 16
ecology, 948
larvae, 948
multivariate morphometrics, 16
Anopheles farauti s.s.,
(2-hydroxymethylcyclohexyl) acetic acid lactone (CIC-4), 690
diethyl methylbenzamide (deet), 690
Anopheles funestus,
Anopheles gambiae, 222
midgut bacteria, 222
Anopheles gambiae, 16, 157, 216, 222, 639
Aedes aegypti, 216
Anopheles arabiensis, 16
Anopheles funestus, 222
blood meal, 639
body size, 157, 639
carboxypeptidase, 216
midgut bacteria, 222
multivariate morphometrics, 16
temperature, 157
Anopheles gambiae complex,
flight tone, 681
sound, 681
Anopheles quadrimaculatus, 340, 660
Aedes aegypti, 340
Anopheles albimanus, 340
Cache Valley virus, 660
Coquillettidia perturbans, 660
Anopheles sp.,
Copia, 771
retrotransposon, 771
Anopheles stephensi,
Plasmodium yoelii nigeriensis, 956
vitellogenesis, 956
Anopheles vestitipennis,
gonotrophic cycle, 937
survivorship, 937
anticoagulant,
blood-feeding, 591
Haematobia irritans, 591
antimicrobial proteins,
Bacillus subtilis, 458
Dermacentor variabilis, 458
arbovirus, 296, 758
Culex tarsalis, 758
eastern equine encephalitis, 296
Highlands J, 296
Nebraska, 758
arboviruses,
Aedes albopictus, 573
Aedes triseriatus, 573
Argas reflexus,
Acari, 26
diapause, 26
Argentina,
Haematobia irritans, 175
pyrethroid, 175
arrestant,
Ixodes scapularis, 11
videotape, 11

arthropod-borne,
tick, 471
tularemia, 471
attachment site,
deer, 59
Ixodes scapularis, 59
attractants,
mosquito, 330
olfactometer, 330
attraction–repellency,
Aedes aegypti, 782
oviposition, 782

B

Bacillus subtilis,
antimicrobial proteins, 458
Dermacentor variabilis, 458
bacteria,
Aedes triseriatus, 839
gender differences, 839
Bartonella henselae,
Ctenocephalides felis, 625
flea feces, 625
behavioral bioassay,
akinesis, 90
kairomone, 90
bioassay,
Haematobia irritans, 798
N-formyl loline, 798
bioassays,
Ctenocephalides felis, 415
insecticide susceptibility, 415
birds,
Ixodes scapularis, 270
Lyme disease, 270
black flies,
insect preservation methods, 314
Simulium vittatum, 314
blood meal,
Anopheles gambiae, 639
body size, 639
blood-feeding,
anticoagulant, 591
Haematobia irritans, 591
bloodmeal processing,
Anopheles, 319
Plasmodium falciparum, 319
body size, 157, 639
Anopheles gambiae, 157, 639
blood meal, 639
temperature, 157
Boophilus microplus, 479, 1013
detachment, 479
diurnal rhythm, 479
permethrin, 1013
pyrethroid, 1013
Borrelia, 324, 521
distribution, 521
Ehrlichia, 521
Ixodes, 324
ticks, 324
Borrelia burgdorferi, 77, 95, 465, 496, 804, 901, 1044
Ehrlichia sp., 901
Elgaria multicarinata, 1044
Haemaphysalis japonicum, 95
Ixodes minor, 496
Ixodes pacificus, 1044
Ixodes ricinus, 465
Ixodes scapularis, 465, 901
life cycle, 496
Lyme disease, 95
Microtus pennsylvanicus, 804
pheasants, 77
reservoir competence, 804
ticks, 77
borreliae genospecies,
seasonal prevalence, 136
tick, 136
bot flies,
Alouatta palliata, 674
Alouattamyia baeri, 674
Brachycera,
Hippoboscidae, 1002
phylogeny, 1002
bunyavirus,
Aedes triseriatus, 567
La Crosse virus, 567

C

Cache Valley virus, 261, 660
Anopheles quadrimaculatus, 660
Coquillettidia perturbans, 660
mouse model, 261
vector-enhanced infection, 261
Calliphoridae, 205, 704
carrion, 704
decomposition, 704
medicolegal entomology, 205
Megaselia abdita, 205
carbon dioxide,
Culicoides variipennis sonorensis, 239

swarming, 239
carboxypeptidase,
Aedes aegypti, 216
Anopheles gambiae, 216
carrion,
Calliphoridae, 704
decomposition, 704
cattle,
Culex, 245
Culicoides, 245
cattle warble,
Hypoderma spp., 327
larval collection, 327
Ceratophyllus,
fleas, 433
hybridizaton, 433
Chagas disease,
population structure, 911
Triatoma infestans, 911
China,
Songshupsylla, 396
squirrels, 396
chitin synthesis inhibitor,
Ctenocephalides felis, 720
lufenuron, 720
chromosomes,
accessory glands, 830
DNA, 830
Chrysops excitans,
Chrysops mitis, 685
nectar, 685
Chrysops mitis,
Chrysops excitans, 685
nectar, 685
cold injury,
cold stress, 725
Haematobia irritans, 725
cold stress,
cold injury, 725
Haematobia irritans, 725
contact toxicity,
Hyalomma anatolicum excavatum, 335
permethrin, 335
Copia,
Anopheles sp., 771
retrotransposon, 771
Coprolactistus whitakeri,
Eptesicus fuscus, 527
parasitic evolution, 527
Coquillettidia perturbans,
Anopheles quadrimaculatus, 660
Cache Valley virus, 660
Corynorhinus mexicanus,
Spinturnicidae, 543
Spinturnix traubi, 543
Cotingacola,
Ischnocera, 732
Tyrannidae, 732
cross resistance,
insecticide resistance, 814
Pediculus capitis, 814
Ctenocephalides,
aedeagus, 883
Siphonaptera, 883
Ctenocephalides felis, 266, 404, 410, 415, 625, 720
Bartonella henselae, 625
bioassays, 415
chitin synthesis inhibitor, 720
ectoparasite, 266
flea feces, 625
hemolymph, 404
host grooming, 266
immunoglobin, 404
insecticide susceptibility, 415
lufenuron, 720
Rickettsia felis, 410
Rickettsia typhi, 410
Culex, 245, 845
cattle, 245
Culicoides, 245
light trap, 845
rice-culturing practices, 845
Culex pipiens,
Rift Valley fever virus, 918
temperature, 918
Culex pipiens pallens,
organophosphate resistance, 716
relative fitness, 716
Culex pipiens pipiens,
esterases, 251
insecticide resistance, 251
Culex sitiens,
density dependence, 665
larval overcrowding, 665
Culex tarsalis, 289, 561, 758
Aedes dorsalis, 561
alphavirus, 289
arbovirus, 758
Nebraska, 758

western equine encephalomyelitis virus, 289, 561
Culicoides,
cattle, 245
Culex, 245
Culicoides nubeculosus,
mating behavior, 996
sex pheromone, 996
Culicoides variipennis,
population genetics, 818
vector distribution, 818
Culicoides variipennis sonorensis,
carbon dioxide, 239
swarming, 239
Culiseta melanura, 980, 1007
age grading, 980
false dilatation, 980
larval development, 1007
temperature, 1007

D

dead tissue rearing medium,
pupal cold storage, 153
Wohlfahrtia magnifica, 153
decomposition,
Calliphoridae, 704
carrion, 704
deer,
attachment site, 59
Ixodes scapularis, 59
dengue,
Aedes aegypti, 699
Mesocyclops longisetus, 699
dengue 2 virus,
Aedes aegypti, 71
testis, 71
density dependence,
Culex sitiens, 665
larval overcrowding, 665
density-dependent competition,
Aedes albopictus, 825
population growth, 825
Dermacentor, 277, 891
Anocentor, 891
mitochondrial 16S rDNA, 277
numerical taxonomy, 891
phylogeny, 277
Dermacentor andersoni,
salivary gland, 505
tick, 505
Dermacentor hunteri,
Neotoma lepida, 1034
Peromyscus eremicus, 1034
Dermacentor variabilis, 458, 849
Amblyomma americanum, 849
antimicrobial proteins, 458
Bacillus subtilis, 458
salivary gland, 849
Dermatophagoides farinae, 46, 905, 962
Dermatophagoides pteronyssinus, 46, 905
Euroglyphus maynei, 46
house dust mites, 962
indoor air quality, 905
relative humidity, 962
Dermatophagoides pteronyssinus, 46, 905
Dermatophagoides farinae, 46, 905
Euroglyphus maynei, 46
indoor air quality, 905
description,
Orchopeas illinoiensis, 399
woodrat, 399
detachment,
Boophilus microplus, 479
diurnal rhythm, 479
diapause,
Acari, 26
Argas reflexus, 26
diethyl methylbenzamide (deet),
(2-hydroxymethylcyclohexyl) acetic acid lactone (CIC-4), 690
Anopheles farauti s.s., 690
distribution, 377, 521
Borrelia, 521
Ehrlichia, 521
fleas, 377
hosts, 377
diurnal rhythm,
Boophilus microplus, 479
detachment, 479
DNA,
accessory glands, 830
chromosomes, 830
dot immunobinding,
Aclotest, 143
mite antigens, 143

E

eastern equine encephalitis,
arbovirus, 296
Highlands J, 296
eastern equine encephalitis virus,

Aedes mosquitoes, 670
vector competence, 670
ecology,
Anopheles arabiensis, 948
larvae, 948
ectoparasite, 266, 303
Ctenocephalides felis, 266
flea, 303
gerbil, 303
host grooming, 266
Ehrlichia,
Borrelia, 521
distribution, 521
Ehrlichia chaffeensis,
Amblyomma americanum, 653
infection rate, 653
Ehrlichia equi,
Ehrlichia phagocytophila, 180
Ixodes ricinus, 180
Ehrlichia phagocytophila,
Ehrlichia equi, 180
Ixodes ricinus, 180
Ehrlichia sp.,
Borrelia burgdorferi, 901
Ixodes scapularis, 901
Elgaria multicarinata,
Borrelia burgdorferi, 1044
Ixodes pacificus, 1044
enzyme loci,
genetic variation, 169
Lutzomyia longipalpis, 169
Eptesicus fuscus,
Coprolactistus whitakeri, 527
parasitic evolution, 527
esterases,
Culex pipiens pipiens, 251
insecticide resistance, 251
Euroglyphus maynei,
Dermatophagoides farinae, 46
Dermatophagoides pteronyssinus, 46

F

false dilatation,
age grading, 980
Culiseta melanura, 980
feeding,
saliva, 599
triatomine bugs, 599
flea,
ectoparasite, 303
gerbil, 303
flea ecology,
Polygenis martinezbaezi, 431
Siphonaptera, 431
flea feces,
Bartonella henselae, 625
Ctenocephalides felis, 625
fleas, 377, 390, 433
Acropsylla, 390
Ceratophyllus, 433
distribution, 377
hosts, 377
hybridizaton, 433
Siphonaptera, 390
flight tone,
Anopheles gambiae complex, 681
sound, 681
fluctuating asymmetry,
maternal effects, 210
tsetse, 210
fly abundance,
Glossina fuscipes fuscipes, 148
rain, 148
fogo selvagem,
Simuliidae, 120
Simulium nigrimanum, 120

G

gender differences,
Aedes triseriatus, 839
bacteria, 839
genetic variation,
enzyme loci, 169
Lutzomyia longipalpis, 169
geographic information systems,
global positioning system, 435
landscape ecology, 435
geostatistics,
Ixodes scapularis, 989
remote sensing, 989
gerbil,
ectoparasite, 303
flea, 303
global positioning system,
geographic information systems, 435
landscape ecology, 435
Glossina fuscipes fuscipes,
fly abundance, 148
rain, 148
gonotrophic cycle,
Anopheles vestitipennis, 937
survivorship, 937

H

habitat,
Ixodes scapularis, 189
life history, 189
habitats,
Ixodes scapularis, 64
Lyme disease, 64
Haemagogus janthinomys,
Sabethes chloropterus, 931
Sabethes cyaneus, 931
Haemaphysalis japonicum,
Borrelia burgdorferi, 95
Lyme disease, 95
Haematobia irritans, 175, 591, 725, 798
anticoagulant, 591
Argentina, 175
bioassay, 798
blood-feeding, 591
cold injury, 725
cold stress, 725
N-formyl loline, 798
pyrethroid, 175
Haematobia irritans irritans,
pyrethroid resistance, 710
recombinant DNA, 710
heartwater,
Amblyomma marmoreum, 621
tortoise, 621
hemolymph,
Ctenocephalides felis, 404
immunoglobin, 404
Highlands J,
arbovirus, 296
eastern equine encephalitis, 296
Hippoboscidae,
Brachycera, 1002
phylogeny, 1002
host grooming,
Ctenocephalides felis, 266
ectoparasite, 266
hosts,
distribution, 377
fleas, 377
house dust mites,
Dermatophagoides farinae, 962
relative humidity, 962
Hyalomma anatolicum excavatum,
contact toxicity, 335
permethrin, 335
Hybomitra,
subarctic, 763
tabanids, 763
hybridizaton,
Ceratophyllus, 433
fleas, 433
Hypoderma spp.,
cattle warble, 327
larval collection, 327

I

identification key,
Amblyomma, 489
nymphs, 489
immunocytochemistry,
Leptotrombidium, 556
Orientia tsutsugamushi, 556
immunogen,
Psoroptes ovis, 861
vaccine, 861
immunoglobin,
Ctenocephalides felis, 404
hemolymph, 404
indoor air quality,
Dermatophagoides farinae, 905
Dermatophagoides pteronyssinus, 905
infection rate,
Amblyomma americanum, 653
Ehrlichia chaffeensis, 653
insect development,
Sarcophaga haemorrhoidalis, 694
temperature, 694
insect preservation methods,
black flies, 314
Simulium vittatum, 314
insecticide resistance, 251, 814
cross resistance, 814
Culex pipiens pipiens, 251
esterases, 251
Pediculus capitis, 814
insecticide susceptibility,
bioassays, 415
Ctenocephalides felis, 415
Ischnocera,
Cotingacola, 732
Tyrannidae, 732
isozyme electrophoresis,
Lutzomyia longipalpis, 82
population genetics, 82
ivermectin,
Onchocerca volvulus, 745
Simulium ochraceum s.l., 745
Ixodes,

Borrelia, 324
ticks, 324
Ixodes dammini,
Notoedres, 538
white-footed mouse, 538
Ixodes minor,
Borrelia burgdorferi, 496
life cycle, 496
Ixodes ovatus,
Japan, 227
tick-borne encephalitis virus, 227
Ixodes pacificus, 629, 1044
Borrelia burgdorferi, 1044
Elgaria multicarinata, 1044
Ixodes scapularis, 629
Lyme disease, 629
Ixodes ricinus, 180, 465
Borrelia burgdorferi, 465
Ehrlichia equi, 180
Ehrlichia phagocytophila, 180
Ixodes scapularis, 465
Ixodes scapularis, 11, 54, 59, 64, 189, 270, 446, 465, 510, 629, 788, 872, 901, 989, 1025, 1050
Anaplasma marginale, 788
arrestant, 11
attachment site, 59
birds, 270
Borrelia burgdorferi, 465, 901
deer, 59
Ehrlichia sp., 901
geostatistics, 989
habitat, 189
habitats, 64
Ixodes pacificus, 629
Ixodes ricinus, 465
Ixodiphagus hookeri, 1050
life history, 189
Lyme disease, 54, 64, 270, 510, 629, 872, 1025
Michigan, 872
microclimate, 1025
remote sensing, 989
tick, 788, 1050
tick population biology, 446
ticks, 54, 510
vertebrate host abundance, 446
videotape, 11
Ixodes woodi,
life cycle, 177
tick–host associations, 177
ixodid ticks,
Steinernema feltiae, 514
Steinernema riobravois, 514
Ixodiphagus hookeri,
Ixodes scapularis, 1050
tick, 1050

J

Japan,
Ixodes ovatus, 227
tick-borne encephalitis virus, 227

K

kairomone,
akinesis, 90
behavioral bioassay, 90
key,
larvae, 362
Notiopsylla, 362

L

La Crosse virus,
Aedes triseriatus, 567
bunyavirus, 567
landscape ecology,
geographic information systems, 435
global positioning system, 435
larvae, 362, 948
Anopheles arabiensis, 948
ecology, 948
key, 362
Notiopsylla, 362
larval collection,
cattle warble, 327
Hypoderma spp., 327
larval development,
Culiseta melanura, 1007
temperature, 1007
larval overcrowding,
Culex sitiens, 665
density dependence, 665
Leeuwenhoekiidae,
Odontacarus khanjanii, 857
Trombiculidae, 857
Leptotrombidium, 551, 556
immunocytochemistry, 556
Orientia tsutsugamushi, 551, 556
scrub typhus, 551
lice,
alpacas, 922

Microthoracius mazzai, 922
life cycle, 177, 496
Borrelia burgdorferi, 496
Ixodes minor, 496
Ixodes woodi, 177
tick–host associations, 177
life history, 107, 189
habitat, 189
Ixodes scapularis, 189
Stomoxys calcitrans, 107
temperature, 107
life table,
Aedes aegypti, 809
Puerto Rico, 809
light trap,
Culex, 845
rice-culturing practices, 845
lufenuron,
chitin synthesis inhibitor, 720
Ctenocephalides felis, 720
Lutzomyia longipalpis, 82, 169
enzyme loci, 169
genetic variation, 169
isozyme electrophoresis, 82
population genetics, 82
Lyme disease, 54, 64, 95, 270, 510, 629, 872, 1025
birds, 270
Borrelia burgdorferi, 95
habitats, 64
Haemaphysalis japonicum, 95
Ixodes pacificus, 629
Ixodes scapularis, 54, 64, 270, 510, 629, 872, 1025
Michigan, 872
microclimate, 1025
ticks, 54, 510

M

malaria,
mosquito, 584
transposon, 584
Mallophaga,
Amblyomma maculatum, 483
ticks, 483
maternal effects,
fluctuating asymmetry, 210
tsetse, 210
mating behavior,
Culicoides nubeculosus, 996
sex pheromone, 996
medicolegal entomology,
Calliphoridae, 205
Megaselia abdita, 205
Megaselia abdita,
Calliphoridae, 205
medicolegal entomology, 205
Mesocyclops longisetus,
Aedes aegypti, 699
dengue, 699
Michigan,
Ixodes scapularis, 872
Lyme disease, 872
microclimate,
Ixodes scapularis, 1025
Lyme disease, 1025
Microsporidia,
Amblyomma cajennense, 1029
Anocentor nitens, 1029
Microthoracius mazzai,
alpacas, 922
lice, 922
Microtus pennsylvanicus,
Borrelia burgdorferi, 804
reservoir competence, 804
midgut bacteria,
Anopheles funestus, 222
Anopheles gambiae, 222
midgut proteins,
Anopheles albimanus, 184
sex differences, 184
Mirophthiridae,
Mirophthirus liae, 596
taxonomy, 596
Mirophthirus liae,
Mirophthiridae, 596
taxonomy, 596
mite antigens,
Aclotest, 143
dot immunobinding, 143
mitochondrial 16S rDNA,
Dermacentor, 277
phylogeny, 277
mitochondrial DNA,
phylogeny, 232
Triatoma, 232
mosquito, 330, 584
attractants, 330
malaria, 584
olfactometer, 330
transposon, 584
mosquitoes, 578, 611
Aedes aegypti, 578, 611

oviposition, 578
Theridion rufipes, 611
mouse model,
Cache Valley virus, 261
vector-enhanced infection, 261
multivariate morphometrics,
Anopheles arabiensis, 16
Anopheles gambiae, 16

N

Nebraska,
arbovirus, 758
Culex tarsalis, 758
nectar,
Chrysops excitans, 685
Chrysops mitis, 685
Neopsylla inopina,
Oropsylla (Opisocrostis) bruneri, 423
Oropsylla (Oropsylla) rupestris, 423
Neotoma lepida,
Dermacentor hunteri, 1034
Peromyscus eremicus, 1034
N-formyl loline,
bioassay, 798
Haematobia irritans, 798
Notiopsylla,
key, 362
larvae, 362
Notoedres,
Ixodes dammini, 538
white-footed mouse, 538
numerical taxonomy,
Anocentor, 891
Dermacentor, 891
nymphs,
Amblyomma, 489
identification key, 489

O

Odontacarus khanjanii,
Leeuwenhoekiidae, 857
Trombiculidae, 857
olfactometer,
attractants, 330
mosquito, 330
Onchocerca volvulus,
ivermectin, 745
Simulium ochraceum s.l., 745
Orchopeas illinoiensis,
description, 399
woodrat, 399
organophosphate resistance,
Culex pipiens pallens, 716
relative fitness, 716
Orientia tsutsugamushi, 551, 556
immunocytochemistry, 556
Leptotrombidium, 551, 556
scrub typhus, 551
Oropsylla (Opisocrostis) bruneri,
Neopsylla inopina, 423
Oropsylla (Oropsylla) rupestris, 423
Oropsylla (Oropsylla) rupestris,
Neopsylla inopina, 423
Oropsylla (Opisocrostis) bruneri, 423
oviposition, 162, 578, 782, 943, 967
Aedes aegypti, 162, 578, 782, 943
Aedes albopictus, 943, 967
Aedes triseriatus, 967
attraction–repellency, 782
mosquitoes, 578
repellency, 162

P

Panstrongylus, 38, 977
Rhodnius, 38, 977
Triatoma, 38, 977
Panstrongylus geniculatus,
triatomine bugs, 99
Trypanosoma cruzi, 99
parasitic evolution,
Coprolactistus whitakeri, 527
Eptesicus fuscus, 527
Pediculus capitis,
cross resistance, 814
insecticide resistance, 814
permethrin, 335, 1013
Boophilus microplus, 1013
contact toxicity, 335
Hyalomma anatolicum excavatum, 335
pyrethroid, 1013
Peromyscus eremicus,
Dermacentor hunteri, 1034
Neotoma lepida, 1034
pheasants,
Borrelia burgdorferi, 77
ticks, 77
Phlebotomus,
sandflies, 778
Sergentomiya, 778
phylogeny, 232, 277, 1002

Brachycera, 1002
Dermacentor, 277
Hippoboscidae, 1002
mitochondrial 16S rDNA, 277
mitochondrial DNA, 232
Triatoma, 232
Plasmodium falciparum,
Anopheles, 319
bloodmeal processing, 319
Plasmodium yoelii nigeriensis,
Anopheles stephensi, 956
vitellogenesis, 956
Polygenis martinezbaezi,
flea ecology, 431
Siphonaptera, 431
polymerase chain reaction,
random-amplified polymorphic DNA, 895
southern cattle tick, 895
population,
Aedes sollicitans, 200
Aedes taeniorhynchus, 200
population dynamics,
Triatoma spinolai, 740
wild bugs, 740
population genetics, 82, 818
Culicoides variipennis, 818
isozyme electrophoresis, 82
Lutzomyia longipalpis, 82
vector distribution, 818
population growth,
Aedes albopictus, 825
density-dependent competition, 825
population structure,
Chagas disease, 911
Triatoma infestans, 911
Psoroptes ovis,
immunogen, 861
vaccine, 861
Puerto Rico,
Aedes aegypti, 809
life table, 809
pupal cold storage,
dead tissue rearing medium, 153
Wohlfahrtia magnifica, 153
pyrethroid, 175, 1013
Argentina, 175
Boophilus microplus, 1013
Haematobia irritans, 175
permethrin, 1013
pyrethroid resistance,
Haematobia irritans irritans, 710
recombinant DNA, 710

R

rain,
fly abundance, 148
Glossina fuscipes fuscipes, 148
random-amplified polymorphic DNA,
polymerase chain reaction, 895
southern cattle tick, 895
recombinant DNA,
Haematobia irritans irritans, 710
pyrethroid resistance, 710
relative fitness,
Culex pipiens pallens, 716
organophosphate resistance, 716
relative humidity,
Dermatophagoides farinae, 962
house dust mites, 962
remote sensing,
geostatistics, 989
Ixodes scapularis, 989
repellency,
Aedes aegypti, 162
oviposition, 162
reservoir competence,
Borrelia burgdorferi, 804
Microtus pennsylvanicus, 804
retrotransposon,
Anopheles sp., 771
Copia, 771
Rhodnius, 38, 977
Panstrongylus, 38, 977
Triatoma, 38, 977
Rhopalopsyllus garbei,
Adoratopsylla intermedia copha, 3
Siphonaptera, 3
rice-culturing practices,
Culex, 845
light trap, 845
Rickettsia felis,
Ctenocephalides felis, 410
Rickettsia typhi, 410
Rickettsia typhi,
Ctenocephalides felis, 410
Rickettsia felis, 410
Rift Valley fever virus, 132, 918
Culex pipiens, 918
temperature, 918
transmission rates, 132
vector competence, 132

Ross River virus,
Aedes notoscriptus, 104
vector competence, 104

S

Sabethes chloropterus,
Haemagogus janthinomys, 931
Sabethes cyaneus, 931
Sabethes cyaneus,
Haemagogus janthinomys, 931
Sabethes chloropterus, 931
saliva,
feeding, 599
triatomine bugs, 599
salivary gland, 500, 505, 849
Amblyomma americanum, 500, 849
Dermacentor andersoni, 505
Dermacentor variabilis, 849
tick, 505
tick saliva, 500
sandflies,
Phlebotomus, 778
Sergentomiya, 778
Sarcophaga haemorrhoidalis,
insect development, 694
temperature, 694
scrub typhus,
Leptotrombidium, 551
Orientia tsutsugamushi, 551
seasonal prevalence,
borreliae genospecies, 136
tick, 136
Sergentomiya,
Phlebotomus, 778
sandflies, 778
sex differences,
Anopheles albimanus, 184
midgut proteins, 184
sex pheromone,
Culicoides nubeculosus, 996
mating behavior, 996
Simuliidae,
fogo selvagem, 120
Simulium nigrimanum, 120
Simulium nigrimanum,
fogo selvagem, 120
Simuliidae, 120
Simulium ochraceum s.l.,
ivermectin, 745
Onchocerca volvulus, 745
Simulium vittatum,
black flies, 314
insect preservation methods, 314
Siphonaptera, 3, 390, 431, 883
Acropsylla, 390
Adoratopsylla intermedia copha, 3
aedeagus, 883
Ctenocephalides, 883
flea ecology, 431
fleas, 390
Polygenis martinezbaezi, 431
Rhopalopsyllus garbei, 3
Songshupsylla,
China, 396
squirrels, 396
sound,
Anopheles gambiae complex, 681
flight tone, 681
southern cattle tick,
polymerase chain reaction, 895
random-amplified polymorphic DNA, 895
Spinturnicidae,
Corynorhinus mexicanus, 543
Spinturnix traubi, 543
Spinturnix traubi,
Corynorhinus mexicanus, 543
Spinturnicidae, 543
spotted fever group rickettsia,
Amblyomma cajennense, 474
tick, 474
squirrels,
China, 396
Songshupsylla, 396
Steinernema feltiae,
ixodid ticks, 514
Steinernema riobravois, 514
Steinernema riobravois,
ixodid ticks, 514
Steinernema feltiae, 514
Stomoxys calcitrans,
life history, 107
temperature, 107
subarctic,
Hybomitra, 763
tabanids, 763
survivorship,
Anopheles vestitipennis, 937
gonotrophic cycle, 937
swarming,
carbon dioxide, 239
Culicoides variipennis sonorensis, 239

T

tabanids,
Hybomitra, 763
subarctic, 763
taxonomy,
Mirophthiridae, 596
Mirophthirus liae, 596
temperature, 107, 157, 694, 918, 1007
Anopheles gambiae, 157
body size, 157
Culex pipiens, 918
Culiseta melanura, 1007
insect development, 694
larval development, 1007
life history, 107
Rift Valley fever virus, 918
Sarcophaga haemorrhoidalis, 694
Stomoxys calcitrans, 107
testis,
Aedes aegypti, 71
dengue 2 virus, 71
Theridion rufipes,
Aedes aegypti, 611
mosquitoes, 611
tick, 136, 471, 474, 505, 788, 1050
Amblyomma cajennense, 474
Anaplasma marginale, 788
arthropod-borne, 471
borreliae genospecies, 136
Dermacentor andersoni, 505
Ixodes scapularis, 788, 1050
Ixodiphagus hookeri, 1050
salivary gland, 505
seasonal prevalence, 136
spotted fever group rickettsia, 474
tularemia, 471
tick population biology,
Ixodes scapularis, 446
vertebrate host abundance, 446
tick saliva,
Amblyomma americanum, 500
salivary gland, 500
tick-borne encephalitis virus,
Ixodes ovatus, 227
Japan, 227
tick–host associations,
Ixodes woodi, 177
life cycle, 177
ticks, 54, 77, 324, 483, 510
Amblyomma maculatum, 483
Borrelia, 324
Borrelia burgdorferi, 77
Ixodes, 324
Ixodes scapularis, 54, 510
Lyme disease, 54, 510
Mallophaga, 483
pheasants, 77
tortoise,
Amblyomma marmoreum, 621
heartwater, 621
transmission rates,
Rift Valley fever virus, 132
vector competence, 132
transposon,
malaria, 584
mosquito, 584
Triatoma, 38, 232, 977
mitochondrial DNA, 232
Panstrongylus, 38, 977
phylogeny, 232
Rhodnius, 38, 977
Triatoma infestans,
Chagas disease, 911
population structure, 911
Triatoma spinolai,
population dynamics, 740
wild bugs, 740
triatomine bugs, 99, 599
feeding, 599
Panstrongylus geniculatus, 99
saliva, 599
Trypanosoma cruzi, 99
Trombiculidae,
Leeuwenhoekiidae, 857
Odontacarus khanjanii, 857
Trypanosoma cruzi,
Panstrongylus geniculatus, 99
triatomine bugs, 99
tsetse,
fluctuating asymmetry, 210
maternal effects, 210
tularemia,
arthropod-borne, 471
tick, 471
Tyrannidae,
Cotingacola, 732
Ischnocera, 732

V

vaccine,
immunogen, 861
Psoroptes ovis, 861
vector competence, 104, 132, 670

Aedes mosquitoes, 670
Aedes notoscriptus, 104
eastern equine encephalitis virus, 670
Rift Valley fever virus, 132
Ross River virus, 104
transmission rates, 132
vector distribution,
Culicoides variipennis, 818
population genetics, 818
vector-enhanced infection,
Cache Valley virus, 261
mouse model, 261
vertebrate host abundance,
Ixodes scapularis, 446
tick population biology, 446
vertical transmission,
Aedes dorsalis, 1020
western equine encephalomyelitis virus, 1020
videotape,
arrestant, 11
Ixodes scapularis, 11
vitellogenesis,
Anopheles stephensi, 956
Plasmodium yoelii nigeriensis, 956

W

water depth,
Aedes aegypti, 646
water temperature, 646
water temperature,
Aedes aegypti, 646
water depth, 646
western equine encephalomyelitis virus, 289, 561, 1020
Aedes dorsalis, 561, 1020
alphavirus, 289
Culex tarsalis, 289, 561
vertical transmission, 1020
white-footed mouse,
Ixodes dammini, 538
Notoedres, 538
wild bugs,
population dynamics, 740
Triatoma spinolai, 740
Wohlfahrtia magnifica,
dead tissue rearing medium, 153
pupal cold storage, 153
woodrat,
description, 399
Orchopeas illinoiensis, 399